

FORM PTO-1390 (Modified)
(REV 11-98)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

TRANSMITTAL LETTER TO THE UNITED STATES
DESIGNATED/ELECTED OFFICE (DO/EO/US)
CONCERNING A FILING UNDER 35 U.S.C. 371

206269US0PCT

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR

09/830159

INTERNATIONAL APPLICATION NO.
PCT/JP99/06082INTERNATIONAL FILING DATE
01 November 1999PRIORITY DATE CLAIMED
30 October 1998

TITLE OF INVENTION

CRYSTALLIZATION METHOD OF HIGHLY STABLE CRYSTALS OF ASPARTAME DERIVATIVE

APPLICANT(S) FOR DO/EO/US

Shigeru KAWAHARA, et al.

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).
4. ☒ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
 - a. ☐ is transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☒ has been transmitted by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☒ A translation of the International Application into English (35 U.S.C. 371(c)(2)).
7. ☒ A copy of the International Search Report (PCT/ISA/210).
8. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
 - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ have been transmitted by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☒ have not been made and will not be made.
9. ☐ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
10. ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
11. ☐ A copy of the International Preliminary Examination Report (PCT/IPEA/409).
12. ☐ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).

Items 13 to 20 below concern document(s) or information included:

13. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
14. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
15. ☐ A **FIRST** preliminary amendment.
16. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
17. ☐ A substitute specification.
18. ☐ A change of power of attorney and/or address letter.
19. ☐ Certificate of Mailing by Express Mail
20. ☒ Other items or information:

Request for Consideration of Documents Cited in International Search Report

Notice of Priority

PCT/IB/304

PCT/IB/308

Drawings (4 Sheets)

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR 1.53) 09/830159	INTERNATIONAL APPLICATION NO. PCT/JP99/06082	ATTORNEY'S DOCKET NUMBER 206269US0PCT
--	--	---

21. The following fees are submitted:

BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)) :

- ☐ Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO **\$1,000.00**
- ☒ International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO **\$860.00**
- ☐ International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO **\$710.00**
- ☐ International preliminary examination fee paid to USPTO (37 CFR 1.482) but all claims did not satisfy provisions of PCT Article 33(1)-(4) **\$690.00**
- ☐ International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(1)-(4) **\$100.00**

ENTER APPROPRIATE BASIC FEE AMOUNT =**\$860.00**
 Surcharge of **\$130.00** for furnishing the oath or declaration later than ☐ 20 ☒ 30 months from the earliest claimed priority date (37 CFR 1.492 (e)).
\$130.00

CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total claims	4 - 20 =	0	x \$18.00		\$0.00
Independent claims	2 - 3 =	0	x \$80.00		\$0.00
Multiple Dependent Claims (check if applicable). <input type="checkbox"/>					\$0.00

TOTAL OF ABOVE CALCULATIONS =**\$990.00**
 Reduction of 1/2 for filing by small entity, if applicable. Verified Small Entity Statement must also be filed (Note 37 CFR 1.9, 1.27, 1.28) (check if applicable). ☐
\$0.00**SUBTOTAL =****\$990.00**
 Processing fee of **\$130.00** for furnishing the English translation later than ☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492 (f)).
\$0.00**TOTAL NATIONAL FEE =****\$990.00**
 Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable). ☐
\$0.00**TOTAL FEES ENCLOSED =****\$990.00**

Amount to be:

refunded

\$

charged

\$

☒ A check in the amount of **\$990.00** to cover the above fees is enclosed.

☐ Please charge my Deposit Account No. _____ in the amount of _____ to cover the above fees.
A duplicate copy of this sheet is enclosed.

☒ The Commissioner is hereby authorized to charge any fees which may be required, or credit any overpayment to Deposit Account No. **15-0030** A duplicate copy of this sheet is enclosed.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

**22850**
Surinder Sachar
Registration No. 34,423

SIGNATURE

Norman F. Oblon

NAME

24,618

REGISTRATION NUMBER

DATE

April 23 2001

418275

09/830159

JCO3 Rec'd PCT/PTO

23 APR 2001

DESCRIPTION

CRYSTALLIZATION METHOD OF HIGHLY STABLE CRYSTALS
OF ASPARTAME DERIVATIVE

(Technical Field)

The present invention relates to a process for preparing the highly stable crystals of N-[N-(3,3-dimethylbutyl)-L- α -aspartyl]-L-phenylalanine methyl ester, which is a high intensity sweetener. L- α -aspartyl-L-phenylalanine methyl ester is, as is well known, one of amino acid type high intensity sweeteners which has already been commercialized, and it is abbreviated as APM or aspartame. The sweetener relating to the present invention is therefore considered as an APM or aspartame derivative, and will hereinafter be abbreviated as N-(3,3-dimethylbutyl)-APM. Additionally, this sweetener is abbreviated as Neotame in some publications.

(Background Art)

N-(3,3-dimethylbutyl)-ATM has a sweetening potency, on the weight basis, of at least 50 times that of aspartame and about 10,000 times that of sucrose (table sugar) so that it can constitute a high intensity sweetener.

Since sweetening agents are mainly employed in foods for human consumption, they must be prepared using a method which can provide a highly purified product substantially

free from impurities or decomposition products.

Furthermore, in the case of a sweetening substance which tends to be decomposed relatively easily, like N-(3,3-dimethylbutyl)-APM, some countermeasures are required against the decomposition thereof after forwarded as a product.

The already known crystals of N-(3,3-dimethylbutyl)-APM are described in WO95/30689 with reference to the IR spectrum data. The present inventors have confirmed that these crystals are monohydrate crystals as a result of the X-ray crystal structure analysis, and that they show the specific peaks of diffracted X-rays at angles of diffraction of at least 6.0°, 24.8°, 8.2° and 16.5° when measured by a powder X-ray diffractometer using CuK α radiation. The present inventors have decided to call these crystals "A-type crystal" for convenience' sake.

Meanwhile, a preparation process of N-(3,3-dimethylbutyl)-APM is also described in USP 5,278,862, wherein high purity (97% by HPLC) N-(3,3-dimethylbutyl)-APM is obtained by crystallization using methanol and water as the crystallization solvent.

And, the present inventors have followed Example 1 of the said USP 5,278,862. As the results, although they have confirmed the reproducibility of the data on purity (98% by HPLC), they could not confirm the formation of A-type crystals. In greater detail, the resulting crystals showed, as wet crystals, the specific peaks of diffracted

X-rays at angles of diffraction (2θ , $\text{CuK}\alpha$ rays) of at least 5.1° , 21.1° , 21.3° and 8.3° . The powder X-ray diffraction pattern at this time will be given in FIG. 1. These crystals will hereinafter be called "B-type crystal".

Furthermore, the B-type crystals obtained by following Example 1 of the said USP 5,728,862, when dried, gave crystals exhibiting the specific peaks of diffracted X-rays at angles of diffraction (2θ , $\text{CuK}\alpha$ rays) of at least 5.6° , 8.4° , 17.1° and 18.8° . The powder X-ray diffraction pattern at this time will be given in FIG. 2. As a result of measurement by Karl Fisher's method, the water content of these crystals were found to be 0.6 wt.%. These crystals will hereinafter be called "G-type crystal".

The resulting G-type crystals and A-type crystals of N-(3,3-dimethylbutyl)-APM were tested at 70°C , concerning their stability. As a result, after the lapse of 160 hours, the remaining ratio of the N-(3,3-dimethylbutyl)-APM in the form of the G-type crystals was 34 wt.%, while that in the form of the A-type crystals was 94 wt.%, suggesting that N-(3,3-dimethylbutyl)-APM is more stable in the form of A-type crystals. The relationship between the storage time and the remaining ratio of N-(3,3-dimethylbutyl)-APM in this test will be shown below in Table 1.

Table 1: Stability test at 70°C

	Time elapsed (hrs)		
	0	52	160
Crystal type	Remaining ratio (wt.%)	Remaining ratio (wt.%)	Remaining ratio (wt.%)
A	95	95	94
G	96	87	34

As described above, it has been found that according to Example 1 of USP 5,728,862, G-type crystals of N-(3,3-dimethylbutyl)-APM which are inferior to A-type crystals in stability, are obtained.

(Disclosure of the Invention)

As has been described above, a process for stably preparing A-type crystals excellent in stability, of N-(3,3-dimethylbutyl)-APM at a low cost, has not yet been established in the existing state of art.

Therefore, it is an object of the present invention to provide a process for stably and conveniently preparing highly stable A-type crystals of N-(3,3-dimethylbutyl)-APM, which is a high intensity sweetener.

With a view to attaining the above-described object, the present inventors have carried out an extensive and intensive investigation. As a result, it has been found that, upon crystallization of N-(3,3-dimethylbutyl)-APM from a crystallization solvent consisting of water singly or a mixed solvent of water/alcohol, A-type crystals can be obtained stably as wet crystals by controlling the

nucleation temperature, and the type of the crystals to be precipitated can be controlled to be A-type by using A-type crystals as seed crystals; and that dry A-type crystals can be obtained by drying these A-type crystals to have a water content of 3 to 6 wt.% (inclusive of the water of crystallization). Based on these findings, the present invention has been completed. It should be noted that the term "controlling the nucleation temperature" as used herein means "controlling so as to generate nucleation at 30°C or greater".

Accordingly, the present invention relates, in a first aspect, to a crystallization method of N-[N-(3,3-dimethylbutyl)-L- α -aspartyl]-L-phenylalanine methyl ester crystals exhibiting the specific peaks of diffracted X-rays at angles of diffraction (2θ , CuK α rays) of at least 6.0°, 24.8°, 8.2° and 16.5°, which comprises using water alone or a mixture of water and a lower alcohol as the crystallization solvent and controlling the nucleation temperature at 30°C or greater, and in a second aspect, to a crystallization method of N-[N-(3,3-dimethylbutyl)-L- α -aspartyl]-L-phenylalanine methyl ester crystals, which comprises using water alone or a mixture of water and a lower alcohol as the crystallization solvent and using, as the seed crystals, N-[N-(3,3-dimethylbutyl)-L- α -aspartyl]-L-phenylalanine methyl ester crystals exhibiting the specific peaks of diffracted X-rays at angles of diffraction (2θ , CuK α rays) of at least 6.0°, 24.8°, 8.2°

and 16.5°, whereby the same type of crystals as the seed crystals are preferentially precipitated.

In the first place, the first-mentioned crystallization method will be described below.

Examples of the lower alcohol usable as a crystallization solvent according to the present crystallization method which belongs to a nucleation-point controlling method, include methanol, ethanol, isopropanol, and the like. Among them, methanol is more preferred because it can be supplied industrially at a low cost.

Although there are no particular limitations imposed on the methanol content in the crystallization system, the methanol content in the solution to be subjected to crystallization is preferably 15 wt.% or less because an excessively high methanol content disturbs smooth crystallization.

A-type crystals can be obtained by nucleation at 30°C or greater. However, since high crystallization temperatures allow the decomposition of N-(3,3-dimethylbutyl)-APM to proceed, it is, in practice, preferred to generate nucleation at 30 to 65°C, more preferably 40 to 50°C. Concrete methods of such nucleation within the above-described range can be carried out, for example, (a) by maintaining a supersaturated solution of N-(3,3-dimethylbutyl)-APM at a temperature within the above-described range until nucleation occurs,

(b) by cooling a saturated or supersaturated solution of N-(3,3-dimethylbutyl)-APM having a temperature of 30°C or greater and generating nucleation before the temperature is lowered to 30°C, or the like. In such methods of nucleation, application of a mechanical impact such as supersonic or the like from the outside is effective for early nucleation. In short, it is easy for those who are skilled in the art to control the nucleation temperature by using, in appropriate combinations, factors such as concentration of N-(3,3-dimethylbutyl)-APM before beginning of crystallization, temperature, time, cooling rate, mechanical impact and the like.

When crystallization is started in the crystallization solvent system using water alone or a mixture of water/methanol, A-type crystals can be obtained, as has been described above, by controlling the nucleation temperature to be 30°C or greater. By generating nucleation crystallization at a temperature lower than the above, however, A-type crystals are not formed but B-type crystals are formed as wet crystals. Such nucleation at such a lower temperature must therefore be avoided.

The present crystallization method can be conducted in accordance with the ordinary manners employed in the art as needed, except that the above-described solvent is employed for crystallization and the nucleation temperature is controlled to be 30°C or greater.

It is needless to say that the present crystallization

method can be effected in any one of crystallization operation manners such as batch crystallization, continuous crystallization, agitation crystallization, static crystallization, and the like.

It is well known that in any one of the above-described crystallization operation manners, the solubility of a substance to be crystallized is preferably lowered by using cooling crystallization (cooling operation) in combination in order to heighten the yield of crystals.

In the present crystallization method, it is of course possible to use cooling operation in combination. In greater detail, once A-type crystals are formed by adjusting the nucleation temperature to 30°C or greater, the increased parts or the increment of the crystals resulting even after cooling of the crystallization system, is also A-type crystals because the already-formed A-type crystals serve as seed crystals. In the present crystallization method, no particular limitations are imposed on until what temperature the solution is cooled before separation of the crystals by filtration.

There are no particular limitations imposed on the apparatus for obtaining dry A-type crystals having a water content of 3 to 6 wt.% by drying the wet A-type crystals of N-(3,3-dimethylbutyl)-APM. A through-flow dryer, fluidized dryer, vacuum dryer, spray dryer, flash drying, pneumatic conveying dryer, or the like can be used freely.

In the next place, description will be made of the second-mentioned crystallization method.

Concerning crystallization, seeding crystallization means, in general, a method of crystallizing preferentially the same kind of crystals as the crystals seeded, by seeding with the crystals in a solution to be subjected to crystallization.

Examples of the lower alcohol usable as a crystallization solvent according to the present crystallization method which belongs to a seeding crystallization method, include methanol, ethanol, isopropanol, and the like. Among them, methanol is more preferred because it can be supplied industrially at a low cost. This is the same as what has been described in connection with the first-mentioned crystallization method.

Although no particular limitations are imposed on the content of the lower alcohol in the solution to be subjected to crystallization, a content of 35 wt.% or less in the solution to be subjected to crystallization is preferred because too high alcohol concentrations disturb smooth precipitation of crystals. The alcohol concentration can be made higher according to this second-mentioned method compared with the first-mentioned crystallization method, because the addition of A-type crystals as seed crystals from the outside of the system makes it possible to omit adjustment of the nucleation temperature at 30°C or greater.

According to the present seeding crystallization method, although no particular limitations are imposed on the temperature at which A-type crystals are added as seed crystals insofar as the solution is supersaturated at this temperature, preferred is 20°C or greater, more preferably 25°C or greater from the viewpoint of crystallizing operation easiness.

Although no particular limitations are imposed on the amount of A-type crystals to be added as seed crystals, preferred is 0.2 to 30% relative to the weight of the initial solute in the solution to be subjected to crystallization, because an excessively large amount deteriorates efficiency.

Although no particular limitations are imposed on the form of A-type crystals to be added as seed crystals, a solid or slurry is preferably added. Also recommended is use, as seed crystals, of the remaining slurry as such in a continuous crystallization.

The present crystallization method can be conducted in accordance with the ordinary manners as employed in the seeding crystallization method except for the above-described crystallization solvent and seed crystals.

It is needless to say that the present crystallization method can be effected in any one of crystallization operation manners such as batch crystallization, continuous crystallization, agitation crystallization, static crystallization, and the like.

In any one of the above-described crystallization operation manners, the solubility of a substance to be crystallized is preferably lowered by using cooling crystallization (cooling operation) in combination in order to heighten the yield of crystals, this being the same as has been described above in connection with the first-mentioned crystallization method.

Also, according to the present crystallization method, it is of course possible to use cooling operation in combination. No particular limitations are imposed on until what temperature the solution is cooled before separation of the crystals by filtration.

There are no particular limitations imposed on the apparatus for obtaining dry A-type crystals having a water content of 3 to 6 wt.% by drying the wet A-type crystals of N-(3,3-dimethylbutyl)-APM. As has been described above in connection with the first-mentioned crystallization method, a through-flow dryer, fluidized dryer, vacuum dryer, spray dryer, flash dryer, pneumatic conveying dryer or the like can be widely used.

(Brief Description of the Drawings)

FIG. 1 shows a powder X-ray diffraction pattern of the B-type crystals;

FIG. 2 shows a powder X-ray diffraction pattern of the G-type crystals;

FIG. 3 shows a powder X-ray diffraction pattern of the

wet A-type crystals (See Example 1); and

FIG. 4 shows a powder X-ray diffraction pattern of the dry A-type crystals (See Example 1).

(Best Mode for Carrying out the Invention)

The present invention will hereinafter be described more specifically with reference to Examples.

In the first place, Examples of the first-mentioned crystallization method will be described.

Example 1: Preparation of A-type crystals of N-(3,3-dimethylbutyl)-APM

In a reactor being equipped with an agitating blade and permitting markedly smooth transfer of gaseous hydrogen into the liquid layer, the following substances were charged with stirring: 550 mL of ion-exchanged water, 1100 mL of methanol, 61 g of aspartame, 20 g of 10% palladium-carbon (having a water content of 50 wt.%) and 19 g of 3,3-dimethylbutyl aldehyde.

After the completion of charging, hydrogen gas was introduced at a flow rate of 200 mL/min while the mixture was continued to be stirred at room temperature. The progress of the reaction was monitored by sampling the reaction mixture and analyzing the resulting products in the samples by high-performance liquid chromatography (HPLC). After six hours' reaction, the reactor was filled

with a nitrogen gas stream, followed by filtration through a microporous filter (0.50 μm) to remove the catalyst. The filtrate (1,460 g), when analyzed, revealed that the N-(3,3-dimethylbutyl)-APM had been produced in an amount of 64 g (yield: 85%).

The filtrate was then concentrated to 497 g, whereby crystals were precipitated. The resulting slurry was heated at 70°C to dissolve the crystals. Then, the resulting solution was analyzed by gas chromatography, and revealed that the methanol content in the solution was 8.15 wt. %.

Subsequently, this uniform solution of N-(3,3-dimethylbutyl)-APM was gradually cooled from 70°C to 40°C and maintained at 40°C for 1 hour, whereby nucleation was generated spontaneously.

Next, the resulting slurry was then cooled to 5°C at a cooling rate of 5°C/hour, and aged overnight at this temperature, followed by separating the crystals by filtration.

As a result of measuring the diffracted X-rays by using $\text{CuK}\alpha$ rays in accordance with the powder X-ray diffraction method, the wet crystals thus separated showed the specific peaks of diffracted X-rays at angles of diffraction (2θ , $\text{CuK}\alpha$ rays) of at least 6.0°, 24.8°, 8.2° and 16.5°, indicating that the resulting crystals were A-type crystals. The powder X-ray diffraction pattern at this time will be shown in FIG. 3. And, the water content

of the crystals was found to be 51.14 wt.% as measured directly by the Karl Fisher's method.

The above-described wet crystals were then dried at 50°C under reduced pressure until the water content became 5.8 wt.%, whereby 58 g of N-(3,3-dimethylbutyl)-APM was obtained (yield: 72%, and a purity of 97% by HPLC). As a result of measuring the diffracted X-rays in accordance with the powder X-ray diffraction method, the dried crystals showed the specific peaks of diffracted X-rays at angles of diffraction (2θ , $\text{CuK}\alpha$ rays) of at least 6.0°, 24.8°, 8.2° and 16.5°, indicating that the resulting dry crystals were also A-type crystals. The powder X-ray diffraction pattern at this time will be shown in FIG. 4. The IR spectrum data of these crystals were completely identical to those described in W095/30689.

Example 2: Crystallization from a methanol/water mixed solvent (nucleation temperature: 47°C)

Into a three-necked flask, 5.0 g of N-(3,3-dimethylbutyl)-APM, 1.9 g of methanol and 30.9 g of water were weighed. The mixture was heated to 70°C to completely dissolve the crystals in the solvent, whereby a solution having a methanol content of 5 wt.% in the whole solution was prepared. Subsequently, the flask having the resulting solution therein was dipped in a water bath of 47°C for 1 hour. When the temperature of the solution in the flask became 47°C, nucleation occurred spontaneously. After the

crystals were aged for 2 hours at the same temperature, the crystals were collected by filtration.

The diffracted X-rays of the wet crystals thus collected were measured using $\text{CuK}\alpha$ rays in accordance with the powder X-ray diffraction method. As a result, the wet crystals were found to be A-type crystals. The wet crystals were then subjected to the same operation as in Example 1, whereby dry A-type crystals were obtained.

Example 3: Crystallization from a methanol/water mixed solvent (nucleation temperature: 40°C)

In the same manner as in Example 2, 2.0 g of N-(3,3-dimethylbutyl)-APM, 2.1 g of methanol and 37.4 g of water were charged into a three-necked flask. The mixture was heated to 70°C to completely dissolve the crystals in the solvent, whereby a solution having a methanol content of 5 wt.% in the whole solution was prepared. Subsequently, the flask having the resulting solution therein was dipped in a water bath of 40°C . When the temperature of the solution in the flask became 40°C , nucleation occurred spontaneously. After the crystals were aged for 1 hour at the same temperature, the resulting crystals were collected by filtration.

The diffracted X-rays of the wet crystals thus collected were measured using $\text{CuK}\alpha$ rays in accordance with the powder X-ray diffraction method. As a result, the wet crystals were found to be A-type crystals. The wet

crystals were then subjected to the same operation as in Example 1, whereby dry A-type crystals were obtained.

Example 4: Crystallization from an aqueous solution

(nucleation temperature: 48°C)

Into a three-necked flask, N-(3,3-dimethylbutyl)-APM and water were charged to prepare a slurry of N-(3,3-dimethylbutyl)-APM having a concentration of 5 g/dL in terms of the concentration in the homogeneous system. The resulting slurry was heated to 70°C to completely dissolve the crystals. Subsequently, the flask having the resulting solution therein was dipped in a water bath of 50°C. When the temperature of the solution in the flask became 48°C, nucleation occurred spontaneously. After the crystals were aged for 2 hours at the same temperature, the resulting crystals were collected by filtration.

The diffracted X-rays of the wet crystals thus collected were measured using CuK α rays in accordance with the powder X-ray diffraction method. As a result, the wet crystals were found to be A-type crystals. The wet crystals were then subjected to the same operation as in Example 1, whereby dry A-type crystals were obtained.

Comparative Example 1: Crystallization from a

methanol/water mixed solvent (nucleation temperature: 13°C)

Into a three-necked flask, 13 g of N-(3,3-

dimethylbutyl)-APM, 31 g of methanol and 96 g of water were weighed. The resulting mixture was heated to 50°C to dissolve the crystals completely in the solvent, whereby a solution having a methanol content of 22 wt.% in terms of the concentration in the whole solution was prepared. Subsequently, the flask having the resulting solution therein was dipped in a water bath of 5°C for 1 hour. When the temperature of the solution became 13°C, nucleation occurred spontaneously. After the crystals were aged for 2 hours at the same temperature, the resulting crystals were collected by filtration.

The diffracted X-rays of the wet crystals thus collected were measured using CuK α rays in accordance with the powder X-ray diffraction method. As a result, the wet crystals were found to be B-type crystals.

Refer to Comparative Examples 2 and 3 which will be described later.

In the next place, description will be made of Examples of the second-mentioned crystallization method.

Example 5 (Seeding or implanting seed crystals at 28°C)

Into a three-necked flask, 22 g of N-(3,3-dimethylbutyl)-APM obtained in the same manner as in Example 1 was charged, followed by the addition of 22 g of methanol and 104 g of water. The resulting mixture was heated to 70°C to completely dissolve the crystals in the

solvent, whereby a solution having a methanol content of 15 wt.% in terms of the concentration in the whole solution was prepared. This vessel (three-necked flask) having the solution therein was equipped with an agitating blade, thermometer and the like, and then dipped in a water bath of 25°C to cool the solution. When the temperature of the solution became 28°C, 0.4 g of A-type crystals was added or implanted as seed crystals. After the crystals were aged for 2 hours in the water bath of 25°C, the resulting crystals were collected by filtration.

As a result of measuring the diffracted X-rays of the wet crystals thus collected, by using $\text{CuK}\alpha$ rays in accordance with the powder X-ray diffraction method, they showed the specific peaks of diffracted X-rays at angles of diffraction (2θ , $\text{CuK}\alpha$ rays) of at least 6.0°, 24.8°, 8.2° and 16.5°, indicating that the resulting crystals were A-type crystals. The powder X-ray diffraction pattern at this time was the same as that of the wet A-type crystals shown in FIG. 3.

Subsequently, the above-described wet crystals were dried at 50°C under reduced pressure until the water content in the crystals became 4.5 wt.%. The powder X-ray diffraction pattern of the resulting crystals was identical to that of the dried A-type crystals as shown in FIG. 4, indicating that they were dry A-type crystals.

Comparative Example 2 (Spontaneous nucleation at 25°C)

A three-necked flask containing therein the utterly same solution as in Example 5 was dipped in a water bath of 25°C. When the temperature of the solution became 25°C, nucleation occurred spontaneously. After the crystals were aged for 2 hours in the water bath of 25°C, the resulting crystals were collected by filtration.

As a result of measuring the diffracted X-rays of the wet crystals thus separated by filtering, by using CuK α rays in accordance with the powder X-ray diffraction method, the wet crystals thus collected showed the specific peaks of diffracted X-rays at angles of diffraction (2θ , CuK α rays) of at least 5.2°, 8.4°, 10.2° and 18.2°, indicating that the resulting crystals were B-type crystals.

Example 6 (Seeding at 22°C)

In the same manner as in Example 5, into a three-necked flask were charged 8.0 g of N-(3,3-dimethylbutyl)-APM, 24.2 g of methanol and 129.4 g of water. The resulting mixture was heated to 70°C to completely dissolve the crystals in the solvent, whereby a solution having a methanol content of 15 wt.% in terms of the concentration in the whole solution was prepared. Subsequently, the three-necked flask having the solution therein was dipped in a water bath of 20°C to cool the solution. When the temperature of the solution became 22°C, 0.16 g of A-type crystals was added as seed crystals. After the crystals

were aged for 2 hours in the water bath of 20°C, the resulting crystals were collected by filtration.

As a result of measuring the diffracted X-rays of the wet crystals thus collected by filtering, by using CuK α rays in accordance with the powder X-ray diffraction method, it was found that the wet crystals were A-type crystals. Subsequently, the wet crystals were dried in the same manner as in Example 5, to obtain dry A-type crystals.

Comparative Example 3 (Spontaneous nucleation at 21°C)

A three-necked flask containing therein the same solution as in Example 6 was dipped in a water bath of 20°C. When the temperature of the solution became 21°C, nucleation occurred spontaneously. After the crystals were aged for 2 hours in the water bath of 20°C, the resulting crystals were collected by filtration.

As a result of measuring the diffracted X-rays of the wet crystals thus separated by filtering, by using CuK α rays in accordance with the powder X-ray diffraction method, it was found that the wet crystals were B-type crystals, and it was tried in vain to confirm the existence of A-type crystals.

(Industrial Applicability)

According to the present invention, highly stable crystals of N-(3,3-dimethylbutyl)-APM, which is a high intensive sweetener, can be prepared conveniently and at a

low cost, by carrying out crystallization while controlling the nucleation temperature and the composition of an N-(3,3-dimethylbutyl)-APM solution, or while using A-type crystals of N-(3,3-dimethylbutyl)-APM as seed crystals.

CLAIMS

1. A crystallization method of N-[N-(3,3-dimethylbutyl)-L- α -aspartyl]-L-phenylalanine methyl ester crystals exhibiting the specific peaks of diffracted X-rays at angles of diffraction (2θ , CuK α rays) of at least 6.0° , 24.8° , 8.2° and 16.5° , which comprises using water alone or a mixture of water and a lower alcohol as the crystallization solvent and maintaining the nucleation temperature at 30°C or greater.

2. The crystallization method of Claim 1, wherein said lower alcohol is methanol, and the methanol content in the whole solution to be subjected to crystallization is 15 wt.% or less.

3. A crystallization method of N-[N-(3,3-dimethylbutyl)-L- α -aspartyl]-L-phenylalanine methyl ester crystals, which comprises using water alone or a mixture of water and a lower alcohol as the crystallization solvent and using, as the seed crystals, N-[N-(3,3-dimethylbutyl)-L- α -aspartyl]-L-phenylalanine methyl ester crystals exhibiting the specific peaks of diffracted X-rays at angles of diffraction (2θ , CuK α rays) of at least 6.0° , 24.8° , 8.2° and 16.5° , whereby the same type of crystals as the seed crystals are allowed to be preferentially precipitated.

4. The crystallization method of Claim 3, wherein said lower alcohol is methanol.

ABSTRACT

Disclosed in the present application are a crystallization method of N-[N-(3,3-dimethylbutyl)-L- α -aspartyl]-L-phenylalanine methyl ester crystals excellent in stability, which comprises using water alone or a mixture of water and a lower alcohol as the crystallization solvent and maintaining the nucleation temperature at 30°C or greater, as well as a crystallization method of N-[N-(3,3-dimethylbutyl)-L- α -aspartyl]-L-phenylalanine methyl ester crystals excellent in stability, which comprises using water alone or a mixture of water and a lower alcohol as the crystallization solvent and using, as the seed crystals, N-[N-(3,3-dimethylbutyl)-L- α -aspartyl]-L-phenylalanine methyl ester crystals exhibiting the specific peaks of diffracted X-rays at angles of diffraction (2θ , CuK α rays) of at least 6.0°, 24.8°, 8.2° and 16.5°, whereby the same type of crystals as the seed crystals are allowed to be preferentially precipitated, in accordance with which crystallization methods highly stable N-(3,3-dimethylbutyl)-APM crystals can be obtained stably and inexpensively.

Fig. 1




Fig. 2




Fig. 3





Fig. 4



B-508

Declaration and Power of Attorney For Patent Application

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated next to my name.

I believe I am an original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled CRYSTALLIZATION METHOD OF HIGHLY STABLE CRYSTALS OF ASPARTAME DERIVATIVE the specification of which was filed on November 1, 1999 as PCT International Application Number PCT/JP99/06082.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority under Title 35, United States Code, Section 119 (a) - (d) or 365(b) of any foreign application(s) for patent, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent, or PCT International application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)			Priority Claimed	
<u>310225/98</u>	<u>Japan</u>	<u>30/October/98</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
<u>310226/98</u>	<u>Japan</u>	<u>30/October/98</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

27 Norman F. Oblon, Reg. No. 24,618; Marvin J. Spivak, Reg. No. 24,913; C. Irvin McClelland, Reg. No. 21,124; Gregory J. Maier, Reg. No. 25,599; Arthur I. Neustadt, Reg. No. 24,854; Richard D. Kelly, Reg. No. 27,757; James D. Hamilton, Reg. No. 28,421; Eckhard H. Kuesters, Reg. No. 28,870; Robert T. Pous, Reg. No. 29,099; Charles L. Gholz, Reg. No. 26,395; William E. Beaumont, Reg. No. 30,996; Jean-Paul Lavallee, Reg. No. 31,451; Stephen G. Baxter, Reg. No. 32,884; Richard L. Treanor, Reg. No. 36,379; Steven P. Weihrouch, Reg. No. 32,829; John T. Goolkasian, Reg. No. 26,142; Richard L. Chinn, Reg. No. 34,305; Steven E. Lipman, Reg. No. 30,011; Carl E. Schlier, Reg. No. 34,426; James J. Kulbaski, Reg. No. 34,648; Richard A. Neifeld, Reg. No. 35,299; J. Derek Mason, Reg. No. 35,270; Surinder Sachar, Reg. No. 34,423; Jeffrey B. McIntyre, Reg. No. 36,867; William T. Enos, Reg. No. 33,128; Michael E. McCabe, Jr., Reg. No. 37,182; Bradley D. Lytle, Reg. No. 40,073; and Michael R. Casey, Reg. No. 40,294, with full powers of substitution and revocation.

Send Correspondence to:

OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C.
FOURTH FLOOR
1755 JEFFERSON DAVIS HIGHWAY
ARLINGTON, VIRGINIA 22202 U.S.A.

Direct Telephone Calls to: (703) 413-3000

120 Full name of first joint inventor: Shigeru KAWAHARA

Inventor's signature

Date

Shigeru Kawahara

June 11, 2001

Residence: c/o Aminoscience Laboratories, Ajinomoto Co., Inc., 1-1, Suzuki-cho, Kawasaki-ku,
 Kawasaki-shi, Kanagawa-ken 210-8681 JAPAN JPX

Citizenship: Japan

Post Office Address: same as the above residence.

200 Full name of second joint inventor: Akihiro KISHISHITA

Inventor's signature

Date

Akihiro Kishishita

June 11, 2001

Residence: c/o Aminoscience Laboratories, Ajinomoto Co., Inc., 1-1, Suzuki-cho, Kawasaki-ku,
 Kawasaki-shi, Kanagawa-ken 210-8681 JAPAN JPX

Citizenship: Japan

Post Office Address: same as the above residence.

300 Full name of third joint inventor: Kazutaka NAGASHIMA

Inventor's signature

Date

Kazutaka Nagashima

June 11, 2001

Residence: c/o Aminoscience Laboratories, Ajinomoto Co., Inc., 1-1, Suzuki-cho, Kawasaki-ku,
Kawasaki-shi, Kanagawa-ken 210-8681 JAPAN JPX

Citizenship: Japan

Post Office Address: same as the above residence.

400 Full name of forth joint inventor: Tadashi TAKEMOTO

Inventor's signature

Date

Tadashi Takemoto

June 11, 2001

Residence: c/o Aminoscience Laboratories, Ajinomoto Co., Inc., 1-1, Suzuki-cho, Kawasaki-ku,
Kawasaki-shi, Kanagawa-ken 210-8681 JAPAN JPX

Citizenship: Japan

Post Office Address: same as the above residence.